

Seraj-1 class WPB Iran

BASIC SHIP DATA

Displacement: 2.5 tons
Propulsion: Diesel
Size Class: G/VSmall
Advance per 45° turn
 Standard rudder: 100 yards (0.5)
 Hard rudder: 50 yards (1)
Accel/Tac Turn from 0-50% Max Speed 25
Accel/Tac Turn from 51-100% Max Spd 12
Deceleration/Tac Turn from any speed 30

Damage Points: 1.4
Crew: 3
Signature: Stealthy/Noisy
 (Speed Loss)

RADARS

Name	Lge	Med	Small	VSmall	Stealthy	Function
Furuno						
FR-1600	24	21	12	7	4	SS

ELECTRONICS

Combat System: None



WEAPONS

F(1)1 Doshka 12.7mm AA Strength 0.1L to 2.6 kyds/Low altitude.

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds	Pen	Dam	yds	Pen	Dam	yds	Pen	Dam	yds	B/D-Pen	Dam	yds	B/D-Pen	Dam
0 - 50	1	0.8	51 - 100	1	0.8	101 - 300	1	0.7	301 - 500	1/0	0.6	501 - 700	1/0	0.5

Bow(11)1 107mm MRL w/11 Fadjr-1 unguided rockets Damage 13+D6/3 damage points, penetration 1

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds			yds			yds			yds	yd		yds		
0 - 75			76 - 150			151 - 250			251 - 350			351 - 500		

CRITICALS

Boat ID:	Doshka	Fadjr-1	Radar	Personnel	Bridge	Flotation	Fire%	Engineering	Remarks
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
								46 35 23 12	

REMARKS

Militarized civilian Bladerunner 35 speedboat design. GRP hull, special damage modifier of -10%.

Cougar class WPB Iran

BASIC SHIP DATA

Displacement: 10 tons
Propulsion: Diesel
Size Class: G/VSmall
Advance per 45° turn
 Standard rudder: 100 yards (0.5)
 Hard rudder: 50 yards (1)
Accel/Tac Turn from 0-50% Max Speed 25
Accel/Tac Turn from 51-100% Max Spd 12
Deceleration/Tac Turn from any speed 30


Damage Points: 3.9
Crew: 3
Signature: VSmall/Noisy
 (Speed Loss)

RADARS

Name	Lge	Med	Small	VSmall	Stealthy	Function
Furuno						
FR-1600	24	21	12	7	4	SS

ELECTRONICS

Combat System: None



WEAPONS

F(1)1 Doshka 12.7mm AA Strength 0.1L to 2.6 kyds/Low altitude.

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds	Pen	Dam	yds	Pen	Dam	yds	Pen	Dam	yds	B/D-Pen	Dam	yds	B/D-Pen	Dam
0 - 50	1	0.8	51 - 100	1	0.8	101 - 300	1	0.7	301 - 500	1/0	0.6	501 - 700	1/0	0.5

Bow(19)1 107mm MRL w/11 Fadjr-1 unguided rockets Damage 13+D6/3 damage points, penetration 1

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds			yds			yds			yds	yd		yds		
0 - 75			76 - 150			151 - 250			251 - 350			351 - 500		

CRITICALS

Boat ID:	Doshka	Fadjr-1	Radar	Personnel	Bridge	Flotation	Fire%	Engineering	Remarks
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
								60 45 30 15	

REMARKS

Kuch class WPB Iran

BASIC SHIP DATA

Displacement: 1 ton
Propulsion: Gasoline
Size Class: G/VSmall
Advance per 45° turn
Standard rudder: 100 yards
Hard rudder: 50 yards
Accel/Tac Turn from 0-50% Max Speed
Accel/Tac Turn from 51-100% Max Spd
Deceleration/Tac Turn from any speed


Damage Points: 0.8
Crew: 3
Signature: Stealthy/Noisy
(Speed Loss)

RADARS

Name	Lge	Med	Small	VSmall	Stealthy	Function
Furuno						
FR-1600	24	21	12	7	4	SS

ELECTRONICS

Combat System: None



WEAPONS

F(1)1 Doshka 12.7mm AA Strength 0.1L to 2.6 kyds/Low altitude.

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds	Pen	Dam	yds	Pen	Dam	yds	Pen	Dam	yds	B/D-Pen	Dam	yds	B/D-Pen	Dam
0 - 50	1	0.8	51 - 100	1	0.8	101 - 300	1	0.7	301 - 500	1/0	0.6	501 - 700	1/0	0.5

Bow(11)1 107mm MRL w/11 Fadjr-1 unguided rockets Damage 13+D6/3 damage points, penetration 1

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds			yds			yds			yd			yds		
0 - 75			76 - 150			151 - 250			251 - 350			351 - 500		

CRITICALS

Boat ID:	Doshka	Fadjr-1	Radar	Personnel	Bridge	Flotation	Fire%	Engineering	Remarks
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
								40 30 20 10	

REMARKS

GRP hull, special damage modifier of -10%.

Taregh (fit #4) class WPB Iran

BASIC SHIP DATA

Displacement: 6.4 tons
Propulsion: Diesel
Size Class: G/VSmall
Advance per 45° turn
Standard rudder: 100 yards
Hard rudder: 50 yards
Accel/Tac Turn from 0-50% Max Speed
Accel/Tac Turn from 51-100% Max Spd
Deceleration/Tac Turn from any speed

Damage Points: 2.0
Crew: 3
Signature: Stealthy/Noisy
(Speed Loss)

RADARS

Name	Lge	Med	Small	VSmall	Stealthy	Function
Furuno						
FR-1600	24	21	12	7	4	SS

ELECTRONICS

Combat System: None



WEAPONS

A(1)1 Doshka 12.7mm AA Strength 0.1L to 2.6 kyds/Low altitude.

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds	Pen	Dam	yds	Pen	Dam	yds	Pen	Dam	yds	B/D-Pen	Dam	yds	B/D-Pen	Dam
0 - 50	1	0.8	51 - 100	1	0.8	101 - 300	1	0.7	301 - 500	1/0	0.6	501 - 700	1/0	0.5

Bow(12)1 107mm MRL w/12 Fadjr-1 unguided rockets Damage 13+D6/3 damage points, penetration 1

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds			yds			yds			yd			yds		
0 - 75			76 - 150			151 - 250			251 - 350			351 - 500		

CRITICALS

Boat ID:	Doshka	Fadjr-1	Radar	Personnel	Bridge	Flotation	Fire%	Engineering	Remarks
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	
								60 45 30 15	

REMARKS

Zolfaghar [Peykaap III] class WPB Iran

BASIC SHIP DATA

Displacement: 13.75 tons
Propulsion: Gasoline
Size Class: G/VSmall
Advance per 45° turn
 Standard rudder: 100 yards
 Hard rudder: 50 yards
Accel/Tac Turn from 0-50% Max Speed
Accel/Tac Turn from 51-100% Max Spd
Deceleration/Tac Turn from any speed

Damage Points: 6.7
Crew: 3
Signature: VSmall/Noisy
(Speed Loss)
 (0.5)
 (1)

RADARS

Name	Lge	Med	Small	VSmall	Stealthy	Function
MVR-88	24	13	8	4	2	SS

ELECTRONICS

Combat System:
 Gen 4 Semi-Automatic



WEAPONS

F(1)1 Doshka 12.7mm AA Strength 0.1L to 2.6 kyds/Low altitude.

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds	Pen	Dam	yds	Pen	Dam	yds	Pen	Dam	yds	B/D-Pen	Dam	yds	B/D-Pen	Dam
0 - 50	1	0.8	51 - 100	1	0.8	101 - 300	1	0.7	301 - 500	1/0	0.6	501 - 700	1/0	0.5

Bow(2)1 Nasr

Nasr. Guidance: 3rd Gen I/TARH. VSmall signature. 561 kts. Climbs to Low altitude on the turn of launch, VLow cruise afterwards.
 SSM. 4.3 - 18.9 nm, 33 dp + D6/2 criticals vs. surface targets, penetration 7.

CRITICALS

Boat ID:	Doshka	Nasr	Radar	Personnel	Bridge	Flotation	Fire%	Engineering	Remarks
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
								52 39 26 13	

REMARKS

Planing hull with supercavitating propellers. Modified North Korean IPS-16, built in Iran.

Bavar [Peykaap II] class WPB Iran

BASIC SHIP DATA

Displacement: 13.75 tons
Propulsion: Diesel
Size Class: G/VSmall
Advance per 45° turn
 Standard rudder: 100 yards
 Hard rudder: 50 yards
Accel/Tac Turn from 0-50% Max Speed
Accel/Tac Turn from 51-100% Max Spd
Deceleration/Tac Turn from any speed


Damage Points: 6.7
Crew: 3
Signature: VSmall/Noisy
(Speed Loss)
 (0.5)
 (1)

RADARS

Name	Lge	Med	Small	VSmall	Stealthy	Function
MVR-88	24	13	8	4	2	SS

ELECTRONICS

Combat System:
 Gen 4 Semi-Automatic



WEAPONS

F/A(1)2 Doshka 12.7mm AA Strength 0.1L to 2.6 kyds/Low altitude.

Point Blank (70% Hit)			Short Rng (50% Hit)			Med Rng (30% Hit)			Long Rng (10% Hit)			Extreme Rng (5% Hit)		
yds	Pen	Dam	yds	Pen	Dam	yds	Pen	Dam	yds	B/D-Pen	Dam	yds	B/D-Pen	Dam
0 - 50	1	0.8	51 - 100	1	0.8	101 - 300	1	0.7	301 - 500	1/0	0.6	501 - 700	1/0	0.5

Bow(2)1 Zafar

Zafar. Guidance: 3rd Gen I/TARH. VSmall signature. 561 kts. Climbs to Low altitude on the turn of launch, VLow cruise afterwards.
 SSM. 4.3 - 13.5 nmi, 21 dp + D6/3 criticals vs. surface targets, penetration 5.

CRITICALS

Boat ID:	Doshka	Zafar	Radar	Personnel	Bridge	Flotation	Fire%	Engineering	Remarks
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
_____	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	<input type="checkbox"/>	_____
								52 39 26 13	

REMARKS

Planing hull with supercavitating propellers. Modified North Korean IPS-16, built in Iran.



PRC Type 021 [Houdong] class Iran

BASIC SHIP DATA

Displacement: 174 std
Propulsion: Diesel
Size Class: E/VSmall
Advance per 45° turn
 Standard rudder: 200 yards (1)
 Hard rudder: 100 yards (2)
Accel/Tac Turn from 0-50% Max Speed 12
Accel/Tac Turn from 51-100% Max Spd 6
Deceleration/Tac Turn from any speed 15

In Class: 10

Crew: 28

Signature: VSmall/Noisy

(Speed Loss)

RADARS

Name	Lge	Med	Small	VSmall	Stealthy	Function
SR-47A	30	30	30	17	5	LAS
	63	35	20	11	6	SS
Furuno						
FR-1700	36	27	15	9	5	Nav
Furuno						
FR-1900	48	28	16	9	5	Nav

ELECTRONICS

Combat System: CS 4 Semi-Automated
ESM: 2nd Generation

WEAPONS

PB&SB(2)2 Noor

Noor. Guidance: 3rd Gen I/TARH. VSmall signature. 594 kts.
 Climbs to Low altitude on the turn of launch, VLow cruise afterwards.
 SSM. 8.1 - 65 nm, 36 dp + D6/2 criticals vs. surface targets, penetration 9.

F(2)1 Type 69 30mm/Type 341

AA Strength 1.0 to 3.6 kyds/Low altitude.

Type	Shell Short Rng (75% Hit)			Med Rng (55% Hit)			Long Rng (25% Hit)				Extreme Rng (15% Hit)			
	kyds	Pen	Dam	kyds	Pen	Dam	kyds	B-Pen	D-Pen	Dam	kyds	B-Pen	D-Pen	Dam
HE	0 - 0.9	0	4	1.0 - 2.2	1	3	2.3 - 3.5	0	0	3	3.6 - 4.3	0	0	2

A(2)1 ZU-23 23mm - Local Control only, -3 Modifier to surface attacks.

AA Strength 0.1L to 2.8 kyds/Low altitude.

Type	Shell Short Rng (75% Hit)			Med Rng (55% Hit)			Long Rng (25% Hit)				Extreme Rng (15% Hit)			
	kyds	Pen	Dam	kyds	Pen	Dam	kyds	B-Pen	D-Pen	Dam	kyds	B-Pen	D-Pen	Dam
HE	0 - 0.3	0	3	0.4 - 0.7	0	2	0.8 - 1.1	0	0	2	1.2 - 1.4	0	0	2

REMARKS

Thondar ("Thunder") class. PRC-designed for export service. Special damage modifier of -10%.

DAMAGE & SPEED BREAKDOWN

Damage Points:

None	25%	50%	75%	90%	100%
0	7	14	20	24	27

 Maximum Speed: 35 26 18 9 0 Sinks

Engineering:

Bridge:

Rudder: L S R

5th ed.
25 Oct 21

Severity Conditions: 1% = .3 dp Minor: 1 - 8% Major: 9 - 12% Severe: 13 - 14% Overwhelmed: 15% +

Fire/Flooding _____ % Fire/Flooding _____ % Fire/Flooding _____ % Fire/Flooding _____ % Fire/Flooding _____ % Fire/Flooding _____ %